

# Implant Rx

ATTN: \_\_\_\_\_ ACCOUNT#: \_\_\_\_\_

RX Date \_\_\_\_\_ Due Date \_\_\_\_\_

**NOTE:** If no due date is assigned, a standard MicroDental due date will be applied.

DR. NAME/ADDRESS \_\_\_\_\_ PATIENT NAME \_\_\_\_\_

DR. PHONE \_\_\_\_\_ SEX: M/F AGE: \_\_\_\_\_

SIGNATURE OF DENTIST \_\_\_\_\_ DENTIST LICENSE# \_\_\_\_\_

Person signing this authorization accepts sole responsibility for payment and agrees to pay all legal and collection costs in the event of suit, including reasonable fees.

**DESIRED ARTICULATOR** \_\_\_\_\_

If no articulator is specified, our standard will be used.

Tooth #	Implant Brand	Platform Size	Depth of Margin Below Tissue

**RESTORATION:** Cementable Screw-Retained (1 piece)

PFM: (White High Noble)

All-Ceramic: Porcelain to Zirconia Lava® Procera®

Full Metal Overdenture Hybrid

MicroTemp™

Lab to Order Parts Dr. to Supply/Order Parts

Call office w/ part #'s to order Order Parts on Dr. Account:

Implant Company: \_\_\_\_\_ Dr. Account #: \_\_\_\_\_

**STOCK ABUTMENT:** Titanium Zirconia

**CUSTOM ABUTMENT:**

UCLA UCLA w/ opaque

Procera: Zirconia Titanium

Atlantis: Zirconia Titanium

Have attended Misch Courses Follow Misch Protocol

**METAL DESIGN**

**PLEASE SEND**

Rx's

FedEx Airbills

UPS Airbills


Boxes

**FOR LAB USE ONLY**

## CHARACTERIZATION CHART

### POSTERIOR OCCLUSAL

Stain Color OC-7 OC-8 OC-9 OC-10  
 Stain Placement OS-1 OS-2 OS-3 OS-4  
 Hypo-Calcification OH-5 OH-6



### ANTERIOR

Translucency Intensity OI-2 OI-3 OI-4  
 Translucency Volume OV-5 OV-6 OV-7  
 Lobing OL-8 OL-9 OL-10  
 Texture OT-11 OT-12 OT-13

STUMP \_\_\_\_\_

SHADE \_\_\_\_\_

### OCCLUSAL CLEARANCE

In Occlusion  
Out of Occlusion  
Die Spacer on Opposing

### FORM OF CROWN DESIRED

Follow Study Model  
Match Existing  
Make Ideal

### PINK PORC. TISSUE

Light  
Medium  
Dark

Bisque Try-In Metal Try-In Reduce Abutment/Send Red. Coping  
Reduce/Mark on Opposing Wax Check Seating Jig Finish

### TEETH NUMBERS

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16  
 32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17

### PONTIC DESIGN

Ovate \_\_\_\_\_mm

Full Lap

Modified Ridge

### INSTRUCTIONS

**CALL ME (BEFORE PROCEEDING WITH CASE)**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_